



Orthodontic Plaster & Stone



Plaster — superwhite plaster of exceptional hardness and particular whiteness has been developed especially for the exacting needs of orthodontists. Harder than ordinary plaster, it gives an unusually smooth mix with long working time. It trims easily, particularly when wet. To provide an accurate and dense cast, finest results are obtained when mixed under vacuum. To produce a desirable glossy surface, it may be treated with soap.

- **Consistency** - 37ml water to 100g powder.
- **Working Time** - 7 to 9 minutes.
- **Setting Time** - 12 to 15 minutes.
- **Compressive Strength-wet (1 hr.)** - 3500 psi.
- **Compressive Strength-dry** - 6500 psi.



Stone — superwhite, hard, accurate, dental stone of medium setting time where special emphasis is placed on the use of proper materials to produce a snow white cast. The same smooth mixing and easy flowing properties of all Whip Mix model stones are retained in this product, made especially with the orthodontist in mind.

- **Consistency** - 28ml water to 100g powder.
- **Working Time** - 5 to 7 minutes
- **Setting Time** - 10 minutes.
- **Compressive Strength-wet (1 hr)** - 4500 psi.
- **Compressive Strength-dry**- 8500 psi.
- **F.O.B. Gaithersburg, MD.**



Buff Stone - yellow laboratory stone.

- **Consistency** - 30ml water to 100g powder.
- **Working Time** - 6 to 8 minutes

Catalog #	Type	Size	ea.	ea. for 4 or more	ea. for 8 or more	ea. for 12 or more
0307-001	Plaster	20-lb.	\$21.95	\$21.45	\$20.95	\$19.95
0307-004	Plaster	50-lb.	\$36.95	\$36.45	\$35.95	\$34.95
0307-A	White Stone	20-lb.	\$22.95	\$22.45	\$21.95	\$20.95
0307-005	White Stone	50-lb.	\$37.95	\$37.45	\$36.95	\$35.95
0307-B	Buff Stone	20-lb.	\$19.95	\$19.45	\$18.95	\$17.95
0307-C	Buff Stone	50-lb.	\$34.95	\$34.45	\$33.95	\$32.95



Model Soap

Pre-mixed—one gallon. Beautiful shiny finish. Will not yellow. Complete instructions included.

0300-000

\$29.95 gallon

\$28.95 gallon for 4 or more



Snap-Stone

Ready In Only
5 Minutes!



When time is of the essence, you will appreciate Snap-Stone's unique physical properties, including its smooth flow and short working time. Its early compressive strength allows separation of the cast from the impression after five minutes from the start of mixing. Setting time can be varied considerably by small changes in the water temperature or mixing time. Longer mixing time will result in a faster set. Hand mixing is recommended. Snap-Stone is a versatile light pink color and is compatible with all impression materials.

- **Consistency** - 23ml water to 100g powder.
- **Working Time** - 60-90 seconds.
- **Early Compressive Strength (15 minutes)** - 6000 psi.

Catalog #	Description	ea.	ea. for 4 or more
2369-000	11 lb. foil bag	\$30.45	\$29.95
2369-800	25 lb. carton	\$34.95	\$33.95
2376-000	50 lb. box	\$60.95	\$59.95



Armor Shine

A multipurpose, quick drying sealant that enhances models by sealing the pores and producing a high gloss finish. 1 liter. Apply with brush (not included).



0967-902

\$19.95 ea.

\$18.95 ea. for 4 or more

Crescent Plaster Trap

Easy to use. Remove cover, tie liner with attached ties and discard. Disposable, heavy duty vinyl liner with attached ties. Patented built-in drain attached to disposable liner. 8-quart capacity. Meets most state and local codes.



0507-A

\$178.00 ea.

Replacement Gasket

0507-C

\$29.90 ea.

Replacement Liners

Box of 6

0507-H

\$81.90 per box